

KYLIN

Cutting Edges, End Bits, Plow Bolts & Nuts, G.E.T Pins & Retainers, & Forklift Forks Catalogue

NINGBO KYLIN MACHINERY CO., LIMITED

Address: Jia Village Industry, Yunlong Town, Yinzhou District, Ningbo, Zhejiang, China.

Telephone: +86 134 56162828

Email: sales@kyltd.com

Contact person: Mr. Jack Huang

<http://www.bucket-teeth.net>



Cutting Edges	Family	Weight (KG)	Thickness (mm)
5A8644	D5B	40.0	19
3G4282	527	31.5	19
5J6873	D4D	71.0	19
5J6888	D7	38.0	19
8J8118	D8K	50.0	25
8K8162	950	117.0	25
4T2985	D7	39.0	25
4T2989	D7	50.5	25
4T3008	D5	34.0	19
4T3009	D6D	41.5	19
4T3009 HD	D6D	55.5	25
4T3010	D6D	18.0	19
4T3020	D5	24.0	19
4T3033		53.0	19
4T6659	D6H	29.0	19
7T5701	D9N	191.0	35
7T5702	D9N	151.0	35
7T9125	D9N	68.0	35
7T9126	D8N	112.0	35
1U0292	936 E,F	62.0	25
1U0295	926	53.0	25
1U0593	966E/F/G	106.0	30
1U0601	950B	88.5	30
9W3925	D8L	183.0	45
9W3927	D8L	84.5	45
9W5432	D8A	85.0	28
9W6608	D10N/R	88.5	35
9W9796	D7G	56.0	25
107-3746	938F	58.5	25
139-9230	950G	101.0	30
130-70-41130	D50P,D53S,D58E	37.0	19
130-920-2180	D65EX-15	35.0	19
130-Z27-1510	D50P,D53S,D58E	36.0	19
13F-Z27-1510	D50	40.0	19
13F-Z27-1510 HD	D50	52.5	25
144-70-11131	D60-6	45.5	19
144-70-11131 HD	D60-6	61.0	25
144-871-5130	D60E-6	74.0	25
154-70-11314	D80-12	55.0	25
154-81-11191	D80-12	40.0	25
175-70-21115	D155	58.0	25
175-70-26310	D155	50.0	25
175-72-21123	D155	43.0	25
195-70-12492	D155A-3	103.0	32

Grade Blades	Weight (KG)	Thickness (mm)
5B5564	30.0	16
5D9553	30.0	16
5D9554	35.5	16
5D9556	35.5	19
5D9558	50.5	19
5D9559	59.0	19
5D9561	49.0	16
5D9562	42.0	16
5D9732	67.0	19
7D1158	48.5	16
7D1949	67.0	19
7D4508	25.0	16
8D2786	23.0	13
8D2787	28.0	13
8D2788	42.0	13
8D2789	38.5	13
3G1626	32.5	13
3G1627	39.5	13
3G1628	43.0	13
3G7965	23.0	13
3G8016	16.5	13
8J4043	40.0	16
8J7782	32.0	13
8J8980	47.5	13
9J3863	28.0	13
9J3656	32.0	13
9J3659	27.5	13
9J3660	23.5	13
9J3862	19.5	13
4T2233	82.5	25
4T2236	89.0	25
4T2242	78.5	25
4T2244	67.5	25
7T1633	30.0	16
134-1779	30.0	13
135-6738	24.5	13
233-70-12141	25.0	16

End Bits	Family	Weight (KG)	Thickness (mm)
8E4193	D8N	41.0	40
8E4194	D8N	41.0	40
8E4196	D9N	65.0	50
8E4197	D9N	65.0	50
8E4198	D9L,D10N	125.5	55
8E4199	D9L,D10N	125.5	55
8E4537	D8N	71.0	48
8E4538	D8N	71.0	48
8E4539	D8L,D9N	76.0	50
8E4540	D8L,D9N	76.0	50
8E4543	D11N	165.5	60
8E4544	D11N	165.5	60
8E9378	D5M/D4H/527	12.5	19
8E9379	D5M/D4H/527	12.5	19
3G6395	966C,D,E	29.0	35
3G8279	D8K	36.0	38
3G8280	D8K	36.0	38
3G8281	D9H	64.5	40
3G8282	D9H	64.5	40
3G8287	D8L	38.0	38
3G8288	D8L	38.0	38
3G8289	D9	51.0	38
3G8290	D9	51.0	38
3G8301	D8K	27.0	28
3G8302	D8K	27.0	28
3G8315	D7	29.5	32
3G8316	D7	29.5	32
3G8319	D6	15.5	25
3G8320	D6	15.5	25
3G9512	950B,E	21.0	30
5J6941	D4E	9.0	19
5J6942	D4E	9.0	19
5J8767	D7G	29.5	32
5J8768	D7G	29.5	32
6J0275	D6 LGP	15.5	25
6J0276	D6 LGP	15.2	25
6J0895	D6C	15.0	25
6J0895	D6C	18.5	32
6J0896	D6C	15.0	25
6J0896	D6C	18.5	32
4T4435	D6H	15.0	25
4T4436	D6H	15.0	25
4T5407	D4H/D5H	22.0	25
4T5408	D4H/D5H	22.0	25
4T8091	936F,938,926	13.0	30
1U1545	D9L	63.5	40
1U1546	D9L	64.5	40
9W8874	D6H/R	20.0	25
9W8875	D6H/R	20.0	25
140-70-11170	D65,D60,D50A	13.5	25
140-70-11170	D65,D60,D50A	16.5	32
140-70-11180	D65,D60,D50A	13.5	25
140-70-11180	D65,D60,D50A	16.5	32
14X-71-11330	D65E-12	14.5	-
14X-71-11340	D65E-12	14.5	-
150-70-21346	D85,D60P	26.5	32
150-70-21356	D85,D60P	26.5	32
175-70-21126	D155	40.0	38
175-70-21136	D155	40.0	38
175-71-22272	D155,D150A-1	38.0	38
175-71-22282	D155,D150A-1	38.0	38
17M-71-21930	D155A	76.5	-
17M-71-21940	D155A	76.5	-
195-70-12610	D375A	72.5	38
195-70-12620	D375A	72.5	38
195-71-11173	D355	69.0	44.5
195-71-11183	D355	69.0	44.5
195-71-61930	D375	118.0	51
195-71-61940	D375	118.0	51
198-71-21810	D475A-1	148.0	60
198-71-21820	D475A-1	148.0	60

Overlays	Family	Weight (KG)	Thickness (mm)
6D1904	12G,12H,140,140G	9.0	13
7D2052	130	7.0	13
8E5529	160H	8.0	16
8E5531	12G	8.0	16
9W1768	12H, 12G	12.0	13
9W1767	12H, 12G	9.5	13
232-70-12150	GD300A-1	9.5	13
232-70-12160	GD300A-1	9.5	13
232-70-52180	GD621A-1	8.0	16
232-70-52190	GD621A-1	11.5	13
233-70-12150	GD31-1/3	6.0	13
233-70-12160	GD31-1/3	6.0	13

Plow Bolts & Nuts

Item	OEM P/N	Plow Bolts Description	Weight (KG)	Surface Quality	Quality
1	4F3646	1/2" UNC-13X1-1/2" Plow Bolt	0.05	Black Oxide	Grade 12.90
2	4F3648	1/2" UNC-13X1-3/4" Plow Bolt	0.05	Black Oxide	Grade 12.90
3	4F3649	1/2" UNC-13X2" Plow Bolt	0.11	Black Oxide	Grade 12.90
4	4F3650	1/2" UNC-13X2-1/4" Plow Bolt	0.10	Black Oxide	Grade 12.90
5	4F3651	1/2" UNC-13X2-1/2" Plow Bolt	0.11	Black Oxide	Grade 12.90
6	4F3652	1/2" UNC-13X2-3/4" Plow Bolt	0.11	Black Oxide	Grade 12.90
7	4F3653	5/8" UNC-11X1-3/4" Plow Bolt	0.09	Black Oxide	Grade 12.90
8	4F3654	5/8" UNC-11X2" Plow Bolt	0.10	Black Oxide	Grade 12.90
9	3F5108	5/8" UNC-11X2-1/4" Plow Bolt	0.10	Black Oxide	Grade 12.90
10	4F3656	5/8" UNC-11X2-1/2" Plow Bolt	0.10	Black Oxide	Grade 12.90
11	4F3657	5/8" UNC-11X2-3/4" Plow Bolt	0.11	Black Oxide	Grade 12.90
12	4F3658	5/8" UNC-11X3" Plow Bolt	0.13	Black Oxide	Grade 12.90
13	4F3665	5/8" UNC-11X3-1/2" Plow Bolt	0.16	Black Oxide	Grade 12.90
14	4F3671	5/8" UNC-11X4" Plow Bolt	0.17	Black Oxide	Grade 12.90
15	4F3672	3/4" UNC-10X2" Plow Bolt	0.11	Black Oxide	Grade 12.90
16	4F7827	3/4" UNC-10X2-1/4" Plow Bolt	0.12	Black Oxide	Grade 12.90
17	5J4773	3/4" UNC-10X2-1/2" Plow Bolt	0.16	Black Oxide	Grade 12.90
18	5J4771	3/4" UNC-10X2-3/4" Plow Bolt	0.16	Black Oxide	Grade 12.90
19	4F0138	3/4" UNC-10X3" Plow Bolt	0.19	Black Oxide	Grade 12.90
20		3/4" UNC-10X3-1/4" Plow Bolt	0.20	Black Oxide	Grade 12.90
21		3/4" UNC-10X3-1/2" Plow Bolt	0.25	Black Oxide	Grade 12.90
22	5F8933	3/4" UNC-10X3-3/4" Plow Bolt	0.27	Black Oxide	Grade 12.90
23		3/4" UNC-10X4" Plow Bolt	0.28	Black Oxide	Grade 12.90
24	4F0253	3/4" UNC-10X4-1/2" Plow Bolt	0.29	Black Oxide	Grade 12.90
25		3/4" UNC-10X5" Plow Bolt	0.34	Black Oxide	Grade 12.90
26		7/8" UNC-9X2-1/4" Plow Bolt	0.36	Black Oxide	Grade 12.90
27	5J4772	7/8" UNC-9X2-1/2" Plow Bolt	0.20	Black Oxide	Grade 12.90
28	6F0196	7/8" UNC-9X2-3/4" Plow Bolt	0.20	Black Oxide	Grade 12.90
29	5J2409	7/8" UNC-9X3" Plow Bolt	0.26	Black Oxide	Grade 12.90
30	8J2935	7/8" UNC-9X3-1/4" Plow Bolt	0.30	Black Oxide	Grade 12.90
31	2J2548	7/8" UNC-9X3-1/2" Plow Bolt	0.31	Black Oxide	Grade 12.90
32		7/8" UNC-9X3-3/4" Plow Bolt	0.35	Black Oxide	Grade 12.90
33		7/8" UNC-9X4" Plow Bolt	0.33	Black Oxide	Grade 12.90
34		7/8" UNC-9X5" Plow Bolt	0.40	Black Oxide	Grade 12.90
35	1J5607	1" UNC-8X2-3/4" Plow Bolt	0.30	Black Oxide	Grade 12.90
36	4F4042	1" UNC-8X3" Plow Bolt	0.31	Black Oxide	Grade 12.90
37	4J9058	1" UNC-8X3-1/4" Plow Bolt	0.36	Black Oxide	Grade 12.90
38	4J9208	1" UNC-8X3-1/2" Plow Bolt	0.40	Black Oxide	Grade 12.90
39	1J4948	1" UNC-8X3-3/4" Plow Bolt	0.42	Black Oxide	Grade 12.90
40	8J2928	1" UNC-8X4" Plow Bolt	0.43	Black Oxide	Grade 12.90
41	1J3527	1" UNC-8X4-1/2" Plow Bolt	0.50	Black Oxide	Grade 12.90
42	1J2034	1" UNC-8X5" Plow Bolt	0.55	Black Oxide	Grade 12.90
43		1" UNC-8X5-1/2" Plow Bolt	0.58	Black Oxide	Grade 12.90
44		1" UNC-8X6-1/2" Plow Bolt	1.04	Black Oxide	Grade 12.90
45	195-71-52320	1-1/8" UNC-7X3-3/4" Plow Bolt	1.00	Black Oxide	Grade 12.90
46	195-71-52330	1-1/8" UNC-7X4-1/8" Plow Bolt	1.07	Black Oxide	Grade 12.90
47	5P8823	1-1/4" UNC-7X4-1/8" Plow Bolt	0.76	Black Oxide	Grade 12.90
48	6V8360	1-1/4" UNC-7X4-1/2" Plow Bolt	0.78	Black Oxide	Grade 12.90
49	5P8361	1-1/4" UNC-7X4-15/16" Plow Bolt	0.81	Black Oxide	Grade 12.90
50		1-1/4" UNC-7X5-3/4" Plow Bolt	0.90	Black Oxide	Grade 12.90
51	1987-12-1850	1-3/8" UNC-6X4-9/16" Plow Bolt	1.03	Black Oxide	Grade 12.90
52	1987-12-1860	1-3/8" UNC-6X5-1/2" Plow Bolt	1.20	Black Oxide	Grade 12.90
53	1987-12-1870	1-3/8" UNC-6X6-1/4" Plow Bolt	1.03	Black Oxide	Grade 12.90
54		20X1.5 UNF(metric)	0.14	Black Oxide	Grade 12.90
55		20X1.5 UNF(metric)	0.16	Black Oxide	Grade 12.90
56		20X1.5 UNF(metric)	0.19	Black Oxide	Grade 12.90
57		20X1.5 UNF(metric)	0.20	Black Oxide	Grade 12.90
Item	OEM P/N	Nuts Description	Weight (KG)	Surface Quality	Quality
58	1F7958	1/2" UNC-13 NUT	0.02	Black Oxide	Grade 10
59	4K0367	5/8" UNC-11 NUT	0.04	Black Oxide	Grade 10
60	2J3506	3/4" UNC-10 NUT	0.05	Black Oxide	Grade 10
61	2J3505	7/8" UNC-9 NUT	0.08	Black Oxide	Grade 10
62	2J3507	1" UNC-8 NUT	0.13	Black Oxide	Grade 10
63	8J2933	1" UNC-8- NUT CONICAL	0.12	Black Oxide	Grade 10
64	3K9770	1-1/4" UNC-7 NUT	0.24	Black Oxide	Grade 10
65	5P8362	1-1/4" UNC-7-CONICAL NUT	0.25	Black Oxide	Grade 10
66	198-71-21910	1-3/8" UNC-6 NUT	0.25	Black Oxide	Grade 10
67	9S8750	1/4" UNC-20 NUT	0.08	Black Oxide	Grade 10
68	5S0003	5/16" UNC-18 NUT	0.04	Black Oxide	Grade 10
69	9S8752	3/8" UNC-16 NUT	0.04	Black Oxide	Grade 10
70	3S1546	7/16" UNC-14 NUT	0.08	Black Oxide	Grade 10
71	5P0539	9/16" UNC-12 NUT	*	Black Oxide	Grade 10
72	4J5977	1-1/8" UNC-7 NUT	*	Black Oxide	Grade 10
73	9S8216	1-1/2" UNC-6 NUT	*	Black Oxide	Grade 10
74	9S8748	1/4" UNF-28 NUT	*	Black Oxide	Grade 10
75	9S8751	5/16" UNF-24 NUT	*	Black Oxide	Grade 10
76	3S2713	3/8" UNF-24 NUT	*	Black Oxide	Grade 10
77	9S8905	7/16" UNF-20 NUT	*	Black Oxide	Grade 10
78	6B6684	1/2" UNF-20 NUT	*	Black Oxide	Grade 10
79	5P0540	9/16" UNF-18 NUT	*	Black Oxide	Grade 10
80	6B6683	5/8" UNF-18 NUT	*	Black Oxide	Grade 10
81	6B6682	3/4" UNF-16 NUT	*	Black Oxide	Grade 10
82	1A5666	7/8" UNF-14 NUT	*	Black Oxide	Grade 10
83	1A1935	1" UNF-14 NUT	*	Black Oxide	Grade 10
84	3S1356	1-1/8" UNF-12 NUT	*	Black Oxide	Grade 10
85	7H7539	1-1/4" UNF-12 NUT	*	Black Oxide	Grade 10
86	8H3390	1-1/2" UNF-12 NUT	*	Black Oxide	Grade 10

G.E.T Pins & Retainers (2-1)

Item	OEM P/N	Description	Weight (KG)	Surface Quality	Hardness Range
1	4K-0006	RUBBER LOCK	0.04	*	*
2	4K-0008	RUBBER LOCK	0.03	*	*
3	4K-0032	STEEL PIN	0.09	Zinc Plate	HRC39-45
4	4K-0033	STEEL PIN	0.12	Zinc Plate	HRC39-45
5	4K-0041	RUBBER LOCK	0.02	*	*
6	4K-0043	STEEL PIN	0.06	Zinc Plate	HRC39-45
7	5K-1425	RUBBER LOCK	0.03	*	*
8	18-20MPN	ESCO PIN	0.03	Zinc Plate	HRC39-45
9	18-PNR	ESCO PIN	0.03	Zinc Plate	HRC39-45
10	18-LK	ESCO LOCK	0.02	*	*
11	25-30-LK	RUBBER LOCK	0.02	*	*
12	25-30-LKR	RUBBER LOCK	0.02	*	*
13	25-30-PN	ESCO VERTICAL PIN	0.08	Zinc Plate	HRC39-45
14	25-30-PNR	ESCO VERTICAL PIN	0.08	Zinc Plate	HRC39-45
15	35-40-LK	RUBBER LOCK	0.03	*	*
16	35-40-LKR	RUBBER LOCK	0.04	*	*
17	35-PN	ESCO VERTICAL PIN	0.11	Zinc Plate	HRC39-45
18	35-PNR	ESCO VERTICAL PIN	0.10	Zinc Plate	HRC39-45
19	40-PN	ESCO VERTICAL PIN	0.21	Zinc Plate	HRC39-45
20	40-PNR	ESCO VERTICAL PIN	0.20	Zinc Plate	HRC39-45
21	45-LK	RUBBER LOCK	0.05	*	*
22	45-LKR	RUBBER LOCK	0.05	*	*
23	45-PN	ESCO VERTICAL PIN	0.29	Zinc Plate	HRC39-45
24	45-PNR	ESCO VERTICAL PIN	0.26	Zinc Plate	HRC39-45
25	46PN	ESCO VERTICAL PIN	0.26	Zinc Plate	HRC39-45
26	46LK	RUBBER LOCK	0.07	*	*
27	50-LK	RUBBER LOCK	0.06	*	*
28	50-LKR	RUBBER LOCK	0.08	*	*
29	50-PN	ESCO VERTICAL PIN	0.40	Zinc Plate	HRC39-45
30	50-PNR	ESCO VERTICAL PIN	0.38	Zinc Plate	HRC39-45
31	55-LK	RUBBER LOCK	0.07	*	*
32	55-LKR	RUBBER LOCK	0.09	*	*
33	55-PN	ESCO VERTICAL PIN	0.52	Zinc Plate	HRC39-45
34	55-PNR	ESCO VERTICAL PIN	0.48	Zinc Plate	HRC39-45
35	56-LK	RUBBER LOCK	0.16	*	*
36	56-PN	ESCO VERTICAL PIN	0.36	Zinc Plate	HRC39-45
37	66-LK	RUBBER LOCK	0.18	*	*
38	66-PN	ESCO VERTICAL PIN	0.43	Zinc Plate	HRC39-45
39	76-LK	RUBBER LOCK	0.19	*	*
40	76-PN	ESCO VERTICAL PIN	0.45	Zinc Plate	HRC39-45
41	86-LK	RUBBER LOCK	0.45	*	*
42	86-PN	ESCO VERTICAL PIN	1.19	Zinc Plate	HRC39-45
43	5-ST	PASADOR "BOFORS"	0.06	Black Oxide	Grade 10
44	5-STE	PASADOR "BOFORS"	0.09	Black Oxide	Grade 10
45	10-ST	PASADOR "BOFORS"	0.14	Black Oxide	Grade 10
46	15-ST	PASADOR "BOFORS"	0.15	Black Oxide	Grade 10
47	20-ST	PASADOR "BOFORS"	0.24	Black Oxide	Grade 10
48	30201	"BOFORS" B-LOCK B1	0.05	Oil Finish	HRC39-45
49	31201	"BOFORS" B-LOCK B2	0.09	Oil Finish	HRC39-45
50	32201	"BOFORS" B-LOCK B3	0.14	Oil Finish	HRC39-45
51	35201	"BOFORS" B-LOCK B6	0.31	Oil Finish	HRC39-45
52	33201	"BOFORS" B-LOCK B4/B5	0.17	Oil Finish	HRC39-45
53	P0120601N	"POCLAIN" T-44	0.14	Oil Finish	HRC39-45
54	P0120606T	"POCLAIN" T-55	0.28	Oil Finish	HRC39-45
55	P1236125	"POCLAIN" T-68	0.45	Oil Finish	HRC39-45
56	T1236129	"POCLAIN" T-60	0.31	Oil Finish	HRC39-45
57	39-SRH	ESCO FASTENER	0.03	Black Oxide	
58	49-SR	ESCO FASTENE	0.02	Black Oxide	
59	22-RBG	ESCO RUBBER BUSHING	0.02	*	*
60	25-RBG	ESCO RUBBER BUSHING	0.02	*	*
61	35-RBG	ESCO RUBBER BUSHING	0.03	*	*
62	39-RBG	ESCO RUBBER BUSHING	0.03	*	*
63	22-RPG	ESCO Ripper PIN (Φ13X83)	0.08	Black Oxide	HRC36-40
64	25-RPG	ESCO Ripper Pin (Φ13X94)	0.09	Black Oxide	HRC36-40
65	35-RPG	ESCO Ripper Pin (Φ13X121)	0.12	Black Oxide	HRC36-40
66	39-RPG	ESCO Ripper Pin (Φ13X133)	0.15	Black Oxide	HRC36-40
67	21LK	ESCO HELILOCK	0.14	Oil Finish	HRC35-37
68	27LK	ESCO HELILOCK	0.20	Oil Finish	HRC35-37
69	37LK	ESCO HELILOCK	0.25	Oil Finish	HRC35-37
70	47LK	ESCO HELILOCK	0.36	Oil Finish	HRC35-37
71	57LK	ESCO HELILOCK	0.42	Oil Finish	HRC35-37
72	290P	Hensly pin with solid rubber	0.14	Oil Finish	HRC38-42
73	330P	Hensly pin with solid rubber	0.19	Oil Finish	HRC38-42
74	370P	Hensly pin with solid rubber	0.39	Oil Finish	HRC38-42
75	400P	Hensly pin with solid rubber	0.20	Oil Finish	HRC38-42
76	410P	Hensly pin with solid rubber	0.43	Oil Finish	HRC38-42
77	450P	Hensly pin with solid rubber	0.54	Oil Finish	HRC38-42
78	K290S	Hensley Keeper pin	0.15	Oil Finish	HRC39-45
79	K330S	Hensley Keeper pin	0.21	Oil Finish	HRC39-45

G.E.T Pins & Retainers (2-2)

Item	OEM P/N	Description	Weight (KG)	Surface Quality	Hardness Range
80	K370S	Hensley Keeper pin	0.48	Oil Finish	HRC39-45
81	K410S	Hensley Keeper pin	0.54	Oil Finish	HRC39-45
82	K450S	Hensley Keeper pin	0.71	Oil Finish	HRC39-45
83	K500R	Hensley Keeper pin	1.09	Oil Finish	HRC39-45
84	K550R	Hensley Keeper pin	1.65	Oil Finish	HRC39-45
85	P290	Hensley Flex Pin	0.14	Oil Finish	HRC39-45
86	P450	Hensley Flex Pin	0.66	Oil Finish	HRC39-45
87	P500	Hensley Flex Pin	1.08	Oil Finish	HRC39-45
88	P400HD	Hensley Flex Pin	0.19	Oil Finish	HRC39-45
89	P475	Hensley Flex Pin	0.39	Oil Finish	HRC39-45
90	4EP	Hensley Flex Pin	0.30	Oil Finish	HRC39-45
91	T-25101	FASTENER	0.06	Black Oxide	HRC36-40
92	PIN-20085	FASTENER	0.12	Black Oxide	HRC36-40
93	PIN-TYPEI	FASTENER	0.04	Black Oxide	HRC36-40
94	PIN-TYPEII	FASTENER	0.06	Black Oxide	HRC36-40
95	PIN-TYPEIII	FASTENER	0.08	Black Oxide	HRC36-40
96	PIN-TYPEIV	FASTENER	0.19	Black Oxide	HRC36-40
97	PIN-TYPEV	FASTENER	0.38	Black Oxide	HRC36-40
98	76028389	Fiat Pin with solid rubber	0.08	Oil Finish	HRC38-42
99	79073815	Fiat Pin with solid rubber	0.10	Oil Finish	HRC38-42
100	76028388	Fiat Pin with solid rubber	0.14	Oil Finish	HRC38-42
101	39SPH	ESCO RIPPER PIN(Φ30X133)	0.71	Black Oxide	HRC40-45
102	49RP-39RPH	ESCO RIPPER PIN(Φ22X151)	0.43	Black Oxide	HRC40-45
103	35-RPH	ESCO RIPPER PIN(Φ22X127)	0.35	Black Oxide	HRC40-45
104	8E6208	J200 Pin (Φ11X59)	0.05	Black Oxide	HRC40-45
105	8E-6209	J200 Retainer(Φ19.2X10.2)	0.01	Black Oxide	HRC35-39
106	8E6258 / 9J2258	J250 Pin(Φ14X79.3)	0.09	Black Oxide	HRC40-45
107	3G9609 /	J250 Retainer(Φ27X13.49X8)	0.03	Black Oxide	HRC35-39
108	107-3308 / 9J2308	J300 Pin(Φ14X92.08)	0.11	Black Oxide	HRC40-45
109	3G-9609	J300 Retainer(Φ27X13.49X8)	0.03	Black Oxide	HRC35-39
110	8E6358	J350 Pin (Φ19.05X108)	0.24	Black Oxide	HRC40-45
111	8E6359	J350 Retainer(Φ35XΦ18.2)	0.05	Black Oxide	HRC35-39
112	7T3408	J400 Pin (Φ22X117)	0.49	Black Oxide	HRC40-45
113	7T3409 /	J400 Retainer(Φ38X21X8)	0.06	Black Oxide	HRC35-39
114	8E0468	J460 Pin(Φ24X133)	0.35	Black Oxide	HRC40-45
115	8E8469	J460 Retainer(Φ39X23.2X8)	0.04	Black Oxide	HRC35-39
116	1U1558 /	J550 Pin(Φ25X162)	0.61	Black Oxide	HRC40-45
117	8E-5559	J550 Retainer(Φ48X24.5X8)	0.10	Black Oxide	HRC35-39
118	61-6608	J600 Pin(Φ30X194)	1.07	Black Oxide	HRC40-45
119	61-6609	J600 Retainer(Φ50X29.5X8)	0.10	Black Oxide	HRC35-39
120	4T-4708	J700 Pin(Φ32X200)	1.20	Black Oxide	HRC40-45
121	4T4707	J700 Retainer(Φ63.7XΦ31.4)	0.14	Black Oxide	HRC35-39
122		PC60 Pin Assembly(Φ20X71)	0.13	Black Oxide	HRC40-45
123	09244-02488	PC100 Pin Assembly(Φ25X92)	0.20	Black Oxide	HRC40-45
124	09244-02496	PC200 Pin Assembly(Φ25X96)	0.37	Black Oxide	HRC40-45
125	175-78-21740	PC300 Pin Assembly(Φ25X117)	0.42	Black Oxide	HRC40-45
126	198-78-21340	PC400 Pin Assembly(Φ30X152)	0.80	Black Oxide	HRC40-45
127	427-70-13790	PC650 Pin Assembly(Φ37X168)	1.23	Black Oxide	HRC40-45
128	C3G0500	Cat Ripper Pin(Φ31.7X152.5)	0.90	Black Oxide	HRC40-45
129	C4T2479	Cat Ripper Pin(Φ25.42X119.5)	0.50	Black Oxide	HRC40-45
130	6Y3394	Cat Ripper Pin D8 D9(Φ25.38X125)	0.50	Black Oxide	HRC40-45
131	6Y3909	Cat Ripper Pin D10 D11(Φ32X142)	0.90	Black Oxide	HRC40-45
132	8E2230	Cat Retainer(Φ70.2XΦ34.4内)	0.20	Black Oxide	HRC35-39
133	6Y3228	Cat Ripper Pin(Φ14.3X67)	0.07	Black Oxide	HRC40-45
134	9W2668	Cat Ripper Pin(Φ19X85.1)	0.20	Black Oxide	HRC40-45
135	EMI004	RUBBER	0.05	*	*
136	RPA1	Steel Pin	0.29	Zinc Plate	HRC40-45
137	RPA03	Steel Pin	0.08	Zinc Plate	HRC40-45
138	DW130VPN	Φ17X 93 Pin	0.16	Black Oxide	HRC40-45
139	DW235PN	Pin DWP235Th Pin	0.25	Black Oxide	HRC40-45
140	DW130VWS	Spring Retainer	0.01	Black Oxide	HRC35-39
141	10 X 45	Roll Gap Pin	0.02	Black Oxide	HRC40-45
142	RIA07	Rubber Lock	0.06	*	*
143	702P	Flex Pin	0.20	Zinc Plate	HRC40-45
144	RIA03	Rubber Lock	0.03	*	*
145	3GMF24P	Φ14X102 Pin	0.12	Zinc Plate	HRC40-45
146	3GTIP180P	Φ14.25X64 Pin	0.08	Zinc Plate	HRC40-45
147	3GMF22P	Φ9.86X85 Pin	0.05	Zinc Plate	HRC40-45
148	3GMF24R	Φ27X13.4 Retainer	0.02	Zinc Plate	HRC35-39
149	3GMF22R	Φ18X9.5 Retainer	0.01	Zinc Plate	HRC35-39
150	182A		0.02	Zinc Plate	HRC40-45
151	23PN	Pin	0.04	White Zinc Plate	HRC35-42
152	6Y2529	Φ19X136.6 Pin	0.29	Black Oxide	HRC40-45
153	8E2229	Φ35X160 Pin	1.16	Black Oxide	HRC40-45
154	8E4743	Φ19XΦ24 Retainer	0.08	Black Oxide	HRC35-39
155	MX8-PN	Φ19X98.2 Pin	0.21	Black Oxide	HRC40-45
156	MX8WS	Φ19XΦ18.34X5.9698.2 Pin	0.02	Black Oxide	HRC35-39
157	DW220VPN	Φ20X 99 Pin	0.24	Black Oxide	HRC40-45
158	DW220VWS	Φ34.8XΦ18.9X5 Retainer	0.03	Black Oxide	HRC35-39

Forklift Forks

TYPE HOOK	ITEM	LENGTH (mm)	WIDTH (mm)	THICKNESS (mm)	MATERIAL	WEIGHT (kg/PC)	
CLASS II A	1T FORK	770	100	31	40Cr	32.0	
		850	100	31	40Cr	33.0	
		920	100	31	40Cr	35.0	
	1.5T FORK	920	100	35	40Cr	37.0	
		1000	100	35	40Cr	38.0	
		1070	100	35	40Cr	40.0	
		1150	100	35	40Cr	43.0	
		1220	100	35	40Cr	47.0	
		1370	100	35	40Cr	51.0	
		1520	100	35	40Cr	55.0	
		1670	100	35	40Cr	58.0	
		2.5T FORK	920	100	45	40Cr	47.0
			1070	100	45	40Cr	50.0
	1150		100	45	40Cr	53.0	
	1220		100	45	40Cr	57.0	
	1370		100	45	40Cr	62.0	
	1520		100	45	40Cr	67.0	
	1820		100	45	40Cr	81.0	
	920		122	40	40Cr	50.0	
	1000		122	40	40Cr	51.0	
	1070		122	40	40Cr	53.0	
	1150		122	40	40Cr	61.0	
	1220		122	40	40Cr	63.0	
	1370		122	40	40Cr	70.0	
	1520		122	40	40Cr	75.0	
	1820		122	40	40Cr	85.0	
	CLASS III A	3T FORK	920	122	45	40Cr	57.0
			1070	122	45	40Cr	63.0
			1220	122	45	40Cr	71.0
			1370	122	45	40Cr	76.0
			1520	122	45	40Cr	85.0
			1820	122	45	40Cr	96.0
			920	125	45	40Cr	66.0
1000			125	45	40Cr	67.0	
1070			125	45	40Cr	68.0	
1150			125	45	40Cr	72.0	
1220			125	45	40Cr	74.0	
1370			125	45	40Cr	81.0	
1520			125	45	40Cr	90.0	
1670			125	45	40Cr	93.0	
1820			125	45	40Cr	105.0	
CLASS IV A	5T FORK	1220	150	55	35CrMo	115.0	
	5-6T FORK	1220	150	60	35CrMo	128.0	
		1370	150	60	35CrMo	135.0	
		1520	150	60	35CrMo	142.0	
		1670	150	60	35CrMo	149.0	
		1820	150	70	35CrMo	180.0	
		1970	150	70	35CrMo	189.0	
		2120	150	70	35CrMo	218.0	
		2270	150	70	35CrMo	229.0	
		2420	150	80	35CrMo	240.0	
		7T FORK	1220	150	65	35CrMo	135.0
	1370		150	70	35CrMo	151.0	
	1520		150	70	35CrMo	158.0	
	1670		150	70	35CrMo	171.0	
	1820		150	70	35CrMo	203.0	
	1970		150	70	35CrMo	207.0	
	2120		150	70	35CrMo	219.0	
	2270		150	70	35CrMo	241.0	
	8T FORK	2420	150	70	35CrMo	268.0	
		1220	170	70	35CrMo	157.0	
		1370	170	70	35CrMo	188.0	
		1520	170	70	35CrMo	197.0	
		1670	170	70	35CrMo	213.0	
		1820	170	80	35CrMo	244.0	
1970		170	80	35CrMo	254.0		
2120		170	80	35CrMo	272.0		
2270		170	80	35CrMo	286.0		
2420		170	80	35CrMo	323.0		
SLEEVE	10T FORK (SHAFT)	1220	175	80	35CrMo	189.0	
		1370	175	85	35CrMo	213.0	
		1520	175	85	35CrMo	224.0	
		1670	175	85	35CrMo	245.0	
		1820	175	85	35CrMo	255.0	
		1970	175	85	35CrMo	266.0	
		2120	175	85	35CrMo	293.0	
		2270	175	85	35CrMo	308.0	
2440	175	85	35CrMo	337.0			